## **EAST Search History**

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2256	709/235	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/27 10:42
L2	0	(format\$4) and (advertis\$4) same (L1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/27 10:42
L3	6344	709/230	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/27 10:43
L6	35	(que) and (L3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/27 10:46
L7	1604	709/234	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/27 10:46
L8	7	(que) and (L7)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/27 10:46
L9	43	nalawade.in.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/27 10:47
L10	0	(que) and (L9)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/27 10:47
L11	10	(format) and (L9)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/27 10:47
S1	0	"10616555"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/21 18:20

S2	0	"10/616555"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/21 18:21
S3	0	"10616555"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/21 18:21
S4	41	nalawade.in.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/21 18:22
S5	3757	(format\$5) same (Peer\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/21 18:23
S6	5	(format\$5) same (Peer\$2) and (S4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/21 18:23
S7	90	(format\$5) same (messag\$4 or data or infomation\$2) same (Peer\$2) and (format\$5) same (second\$4 or other \$2 or another) near5 (peer)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/21 18:47
S8	38	(format\$5) same (messag\$4 or data or infomation\$2) same (Peer\$2) and (format\$5) same (second\$4 or other \$2 or another) near5 (peer) and (@ad<="20030709")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/21 18:48
S9	53	(format\$5) same (messag\$4 or data or infomation\$2) same (router\$2 or peer\$2) and (format\$5) same (second\$4 or other\$2 or another) near5 (peer or router\$2) and (@ad<="20030709") and (peer\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/21 19:55
S10	9	(format\$5) same (messag\$4 or data or infomation\$2) same (router\$2 or peer\$2) and (format\$5) same (second\$4 or other\$2 or another) near5 (peer or router\$2) same (que \$6 or cache) and (@ad<="20030709") and (peer\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/21 20:09
S11	9	(format\$5) same (messag\$4 or data or infomation\$2) same (router\$2 or peer\$2) and (format\$5) same (second\$4 or other\$2 or another) near5 (peer or router\$2) same (queue\$6 or cache) and (@ad<="20030709") and (peer\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/21 20:12

S12	2	(format\$5) same (messag\$4 or data	US-PGPUB;	ADJ	ON	2008/12/21 20:13
		or infomation\$2) same (router\$2 or peer\$2) and (format\$5) same (second\$4 or other\$2 or another) near5 (peer or router\$2) same (queue\$6) and (@ad<="20030709") and (peer\$2)	USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB			
S13	4	(format\$5) same (messag\$4 or data or infomation\$2) same (router\$2 or peer\$2 or node) and (format\$5) same (second\$4 or other\$2 or another) near5 (peer or router\$2 or node) same (queue\$6) and (@ad<="20030709") and (peer\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/21 20:14
S14	4	(format\$5) same (messag\$4 or data or infomation\$2 or packets) same (router\$2 or peer\$2 or node) and (format\$5) same (second\$4 or other \$2 or another) near5 (peer or router \$2 or node) same (queue\$6) and (@ad<="20030709") and (peer\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/21 20:15
S15	4	(format\$5) same (messag\$4 or data or infomation\$2 or packets) same (router\$2 or peer\$2 or node) and (format\$5) same (second\$4 or other \$2 or another or sequen\$6) near5 (peer or router\$2 or node) same (queue\$6) and (@ad<="20030709") and (peer\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/21 20:22
S16	4	(format\$5) same (messag\$4 or data or infomation\$2 or packets) same (router\$2 or peer\$2 or node) and (format\$5) same (second\$4 or other \$2 or another or sequen\$8) near5 (peer or router\$2 or node) same (queue\$6) and (@ad<="20030709") and (peer\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/21 20:23
S17	4	(format\$5) same (messag\$4 or data or infomation\$2 or packets) and (format\$5) same (second\$4 or other \$2 or another or sequen\$8) near5 (peer or router\$2 or node) same (queue\$6) and (@ad<="20030709") and (peer\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/21 20:26
S18	4	(format\$5) same (messag\$4 or data or infomation\$2 or packets) and (format\$5) same (second\$4 or other \$2 or another or sequen\$8) near5 (peer\$2 or router\$2 or node\$2) same (queue\$6) and (@ad<="20030709") and (peer\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/21 21:11
S19	6	(format\$5) same (messag\$4 or data or infomation\$2 or packets) and (format\$5) same (second\$4 or other \$2 or another or sequen\$8) near6 (peer\$2 or router\$2 or node\$2) same (queue\$6) and (@ad<="20030709") and (peer\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/21 21:11

S20	6	(format\$5) same (messag\$4 or data or infomation\$2 or packets) and (format\$5) same (second\$4 or other \$2 or another or sequen\$8) near6 (peer\$2 or router\$2 or node\$2) same (queu\$6) and (@ad<="20030709") and (peer\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/21 21:3
S21	20	(format\$5) same (messag\$4 or data or infomation\$2 or packets) and (format\$5) same (second\$4 or other \$2 or another or sequen\$8) near6 (peer\$2 or router\$2 or node\$2) same (que\$6) and (@ad<="20030709") and (peer\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/21 21:3
S22	2	"6392997".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 07:1
S23	3757	(format\$5) same (Peer\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 08:23
S24	193	(cisco) and (S23)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 08:23
S25	80	(cisco) and (S23) and (queue)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 08:2
S26	33	(cisco) and (S23) and (queue) and (@ad<="20030709")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 08:2
S27	13	(cisco) and (S23) and (queue) and (@ad<="20030709") and (bgp)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 08:4
S28	13	(cisco) and (S23) and (queue) and (@ad<="20030709") and (bgp) and (router\$2 or neighbor\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 08:4
S29	13	(cisco or jupitor) and (\$23) and (queue) and (@ad<="20030709") and (bgp) and (router\$2 or neighbor \$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 08:4
S30	13	(cisco or jupiter) and (\$23) and (queue) and (@ad<="20030709") and (bgp) and (router\$2 or neighbor \$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 08:4

S31	2	(cisco or jupiter) and (S23) and (queue) and (@ad<="20030709") and (bgp) and (router\$2 or neighbor \$2) same (queue)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 08:46
S32	2	(cisco or jupiter) and (S23) and (queue) and (@ad<="20030709") and (bgp) and (router\$2 or neighbor \$2 or peer) same (queue)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 08:46
S33	3	(cisco or jupiter) and (S23) and (queue) and (@ad<="20030709") and (bgp) and (router\$2 or neighbor \$2 or peer) same (queu\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 08:46
S34	0	(\$23) and (queue) and (@ad<="20030709") and (bgp) and (router\$2 or neighbor\$2 or peer\$2) near5 (second\$4 or another or other) same (queue) near5 (tranmsit \$4 or send\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 08:53
S35	44	(format\$5) same (messag\$4 or data or infomation\$2 or packets) and (format\$5) same (second\$4 or other \$2 or another or sequen\$8 or new) near6 (peer\$2 or router\$2 or node \$2) same (que\$6) and (@ad<="20030709") and (peer\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 08:56
S36	5	(format\$5) same (messag\$4 or data or infomation\$2 or packets) and (format\$5) same (second\$4 or other \$2 or another or sequen\$8 or new) near6 (peer\$2 or router\$2 or node \$2) same (que\$6) and (@ad<="20030709") and (peer\$2) and (bgp)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 08:57
S37	0	(format\$5) same (messag\$4 or data or infomation\$2 or packets) and (format\$5)same(Contin\$5) and (second\$4 or other\$2 or another or sequen\$8 or new) near6 (peer\$2 or router\$2 or node\$2) same (que\$6) and (@ad<="20030709") and (peer\$2) and (bgp)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 09:03
S38	0	(format\$5) same (messag\$4 or data or infomation\$2 or packets) and (format\$5)same(Contin\$5) and (second\$4 or other\$2 or another or sequen\$8 or new) near6 (peer\$2 or router\$2 or node\$2 or neighbor\$2) same (que\$6) and (@ad<="20030709") and (peer\$2) and (bgp)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 09:04

<b>S</b> 39	5	(format\$5) same (messag\$4 or data or infomation\$2 or packets) and (format\$5)same(Contin\$5) and (second\$4 or other\$2 or another or sequen\$8 or new) near6 (peer\$2 or router\$2 or node\$2 or neighbor\$2) same (que\$6) and (@ad<="20030709") and (bgp)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 09:04
<b>S</b> 40	5	, ,	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 09:09
S41	8	or infomation\$2 or packets) and	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 09:11
S42	12	(format\$5 or encapsulat\$4) same (messag\$4 or data or infomation\$2 or packet\$2s) and (format\$5 or encapsulat\$4) same (second\$4 or other\$2 or another or sequen\$8 or new or next) near6 (peer\$2 or router\$2 or node\$2 or neighbor\$2) same (que\$6) and (@ad<="20030709") and (bgp) and (format\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 09:17
S43	7	(format\$5 or encapsulat\$4) same (messag\$4 or data or infomation\$2 or packet\$2s) and (format\$5 or encapsulat\$4) same (second\$4 or other\$2 or another or sequen\$8 or new or next) near6 (peer\$2 or router\$2 or node\$2 or neighbor\$2) same (que\$6 or cache) and (@ad<="20030709") and (bgp) and (format\$4) and (queue)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 15:06
<b>S</b> 44	7	(format\$5 or encapsulat\$4) same (messag\$4 or data or infomation\$2 or packet\$2s) and (format\$5 or encapsulat\$4 )same (second\$4 or other\$2 or another or sequen\$8 or new or next) near6 (peer\$2 or router\$2 or node\$2 or neighbor\$2) same (que\$6 or cache) and (@ad<="20030709") and (bgp) and (format\$4) and (queue\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 15:20

S45	0	(format\$5 or encapsulat\$4) same (messag\$4 or data or infomation\$2 or packet\$2s) and (format\$5 or encapsulat\$4) same (second\$4 or other\$2 or another or sequen\$8 or new or next) near6 (peer\$2 or router \$2 or node\$2 or neighbor\$2 or switch) same (que\$6 or cache) and (@ad<="20030709") and (bgpOR) and (format\$4) and (queue\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 15:34
S46	31	(format\$5 or encapsulat\$4) same (messag\$4 or data or infomation\$2 or packet\$2s) and (format\$5 or encapsulat\$4) same (second\$4 or other\$2 or another or sequen\$8 or new or next) near6 (peer\$2 or router\$2 or node\$2 or neighbor\$2 or switch) same (que\$6 or cache) and (@ad<="20030709") and (bgp or advertis\$4) and (format\$4) and (queue\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 15:34
S47	27	(format\$5 or encapsulat\$4) same (set or group) near5 (messag\$4 or data or infomation\$2 or packet\$2s) and (format\$5 or encapsulat\$4) same (second\$4 or other\$2 or another or sequen\$8 or new or next) near6 (peer\$2 or router\$2 or node\$2 or neighbor\$2 or switch) same (que\$6 or cache) and (@ad<="20030709") and (bgp or advertis\$4) and (format\$4) and (queue\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 15:43
S48	101	(format\$5 or encapsulat\$4) same (set or group) near5 (messag\$4 or data or infomation\$2 or packet\$2s) and (format\$5 or encapsulat\$4) same (second\$4 or other\$2 or another or sequen\$8 or new or next) near6 (peer\$2 or router\$2 or node\$2 or neighbor\$2 or switch) and (que\$6 or cache) and (@ad<="20030709") and (bgp or advertis\$4) and (format\$4) and (queu\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 16:12
S49	2	"5974465".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 08:08
S50	6343	709/230	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/25 11:20
S51	1604	709/234	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/25 11:25

S52	2256	709/235	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/25 11:25
S53	0	(format\$4) and (queue) same (S52)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/25 11:26
S54	0	(format\$4) and (queue or enque) same (S52)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/25 11:27
S55	0	(format\$4) and (queue or enque) same (S51)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/25 11:27
S56	0	(format\$4) and (queue or enque) same (S50)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/25 11:27
S57	0	(format\$4) and (advertis\$4) same (S50)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/25 11:27
S58	0	(advertis\$4) same (S50)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/25 11:28
S59	O	(advertis\$6) same (S50)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/25 11:28

## 3/27/2009 10:58:40 AM

C:\ Documents and Settings\ gsmarth\ My Documents\ EAST\ Workspaces\ 10616555-Methodandapparatusforadvertisingupdatemessagestop2pgroupsinabordergateway.wsp